




- LEGEND:**
- STAGE BOUNDARY
 - CONSTRUCTION BOUNDARY
 - 30.50 DESIGN ELEVATION
 - 30.40 FUTURE DESIGN ELEVATION
 - 30.30 DESIGN DITCH/SWALE/CULVERT INVERT ELEVATION
 - 30.00 EXISTING ELEVATION
 - DRAINAGE DIRECTION
 - FUTURE DRAINAGE DIRECTION
 - 627.00 EXISTING CONTOURS
- MAJOR DRAINAGE DIRECTION
 LOTS WITH 1.0 - 1.5m OF FILL REQUIRED
 LOTS WITH MORE THAN 1.5m OF FILL REQUIRED
 LOTS WITH MIN. FOOTING ELEV. 627.34 & LOWEST ALLOWABLE OPENING ELEV. 627.64
- NOTE:
 1. ELEVATIONS SHOWN ARE GEODETIC & ARE REFERENCED TO ASCM 17368, ELEVATION 627.724m.
 2. SURVEY FOR EXISTING CONTOURS WAS PERFORMED BY THE FOCUS CORPORATION, ON MARCH 20, 2006.
 3. SPECIAL FOUNDATION CONSIDERATIONS EXIST WHERE FILL ON BUILDING POCKET MAY EXCEED 1.5m.
 4. FOOTING/GRADING PLANS FOR INDIVIDUAL LOTS TO BE SUBMITTED TO THE CITY BY THE BUILDER.




**Southfort Estates Stage 8B
Service Elevations @ Plug**

Lot #	Block #	San/Wat Inv.	Storm Inv.
44	5	626.09	627.74
45	5	626.49	627.64
46	5	626.63	627.78
47	5	626.63	627.78
48	5	626.57	627.72
18	6	626.09	627.72
19	6	626.47	627.62
20	6	626.66	627.81
21	6	626.66	627.81




EXISTING DUGOUT REQUIRING 7.0m OF FILL TO DESIGN GRADE. SPECIAL FOUNDATION CONSIDERATIONS REQUIRED.

REVISION NO.	DESCRIPTION	BY	APP'D.	YY.MM.DD.
A	ISSUED FOR FIRST SUBMISSION	P.D.N.	D.L.K.	2014.10.28
B	ISSUED FOR APPROVAL	P.D.N.	D.L.K.	2015.01.28
C	ISSUED FOR APPROVAL	B.C.	L.K.	2018.02.21
D	RE-ISSUED FOR APPROVAL	S.M.	B.J.P.	2018.04.24
E	ISSUED FOR CONSTRUCTION	C.A.	B.J.P.	2018.05.11



PERMIT TO PRACTICE
WSP CANADA INC.
 Signature: *[Signature]*
 Date: *May 18, 2018*
PERMIT NUMBER: P07641
 The Association of Professional Engineers and Geoscientists of Alberta



#1200, 10909 JASPER AVENUE
 EDMONTON, ALBERTA, CANADA T5J 3L9
 TEL: 780.466.6555 | FAX: 780.466.8200 | www.wsp.com

Client
SOUTHFORT DEVELOPMENT CORP.

Project
SOUTHFORT ESTATES STAGE 8B
 FORT SASKATCHEWAN
LOT GRADING PLAN

Designed	Scale	Date
P.D.N.	1:1000	MAY, 2018
Drawn	Project No.	
P.D.N.	060201059-121	
Checked	Drawing No.	Rev.
B.J.P.	C05	0
Approved		
L.E.K.		

S.W. 1/4 SEC. 20-54-22-4