

#### **ASPHALT STRUCTURES**

LOCAL ROADWAYS

- 35mm 10mm LT ASPHALT (SURFACE LIFT) - 65mm 10mm LT ASPHALT (BASE LIFT)

- 200mm 20mm GRANULAR BASE COURSE

- 150mm SUBGRADE PREP WITH 10kg/m<sup>2</sup> OF CEMENT STABILIZATION

TEMPORARY GRAVEL TURNAROUND

- 150mm 20mm GRANULAR BASE COURSE

- GEOTEXTILE FABRIC - 150mm SUBGRADE PREP

**ASPHALT TRAILS** 

- 75mm 10mm LT ASPHALT

- 150mm 20mm GRANULAR BASE COURSE

- 150mm SUBGRADE PREP WITH 10kg/m<sup>2</sup> OF

CEMENT STABILIZATION


### TRAFFIC SIGNAGE

- TO CITY OF FORT SASKATCHEWAN STANDARDS - STREET BLADES TO BE INSTALLED POINTING
- TOWARDS THE STREET THEY ARE MARKING
- 1 YIELD (RA-2)

2) a MEADOWVIEW DRIVE

b HUMMINGBIRD CRESCENT

3 CHECKERBOARD SIGN (WA-8)



## **FENCING**

- SEE THE LANDSCAPING PLANS PREPARED BY CLASSIC LANDSCAPES FOR FENCING LOCATIONS AND DETAILS.

# **NOTES**

- NO DRIVEWAYS WITHIN 1.5m OF STREET FURNITURE.
- CURB TRANSITION LOCATIONS SHOWN AS: SF -RF.

#### SIGNAGE

- FOR MR/PUL TRAIL SIGNAGE AND DETAILS SEE THE
- LANDSCAPING PLANS PREPARED BY CLASSIC LANDSCAPES.
- ALL SIGNS TO BE SECURED TO EXISTING SUPPORTS WHERE POSSIBLE. IF A POST IS REQUIRED IT IS TO BE PER SECTION G14.1.1.c OF THE FORT SASKATCHEWAN STANDARDS.







ROAD OVERALL, STREET FURNITURE, & ADDRESSING PLAN

KBA DRAWING NO.

666-065-G4

SOUTHFORT SOUTHFORT LAND FORT SASKATCHEWAN DEVELOPMENT CORP.

**CURB STOP** CATCH BASIN 2021-Aug-20 TRANSFORMER ASPHALT TRAIL **PERMIT NUMBER: P002104** PEDESTAL The Association of Professional Engineers and Geoscientists of Alberta (APEGA) CONCRETE SWALE LIGHT STANDARD 3. ISSUED IFC DRAWINGS FOR CONSTRUCTION AUG 20/21 NAS NAS CHECKED: POWER POLES 20 August 2021 REVISIONS TO DRAWINGS PER CITY COMMENTS JUL 26/21 NAS
1. 1st SUBMISSION FOR CITY/CLIENT REVIEW JUN 02/21 NAS STREET ADDRESS ID #: 110378 MAILBOX DRAWN BY: VM APPROVED: T-BOLLARDS STREET SIGNS REVISION DATE B 1:750 DATE:

SOUTHFORT MEADOWS STAGE 7 NAS JOB NO: